

Work Order ID 141892

Friday, February 19, 2016 7:27:34 AM

141892

Page 1

Item ID: D3800-1-100 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Hook And Loop Strip (1" Soft)
 Start Date: 2/18/2016 Start Qty: 100.00 **200** **DAS 13**
 Required Date: 3/31/2016 Req'd Qty: 100.00 ***100*** **FEB 23 2016**
 Reference: ***100*** Cust Item ID: Customer:

Approvals: Process Plan: MCS Date: FEB 19 2016 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3800	Rev B

100 PURCHASING 0.00 **DAS 13**
100 **200** **FEB 23 2016** **9-89**
 Purchasing Memo 0.00
 Purchasing Issue P/O: 31460
 Purchase Part Number: 9776K122 (5FT), 9776K126(10FT), 9776K18(15FT),
 9776K28(30FT), 9776K131 (50FT), 9776K38(75FT), 9776K93(combination
 pack)
 Supplier: McMASTER CARR
 Certificate of conformity is required

110 Receive & Inspect for Damage & Mat'l Certs 0.00 **200** **DAS 6**
110 **9-89**
 Packaging Memo 0.03
 Packaging Ensure Material Release Note is attached **MAR 01 2016**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :							
Misidentified ☐	☐ Past Due								

Picklist Print

Friday, February 19, 2016 7:27:37 AM

Page 1

Work Order ID: 141892

141892

Parent Item: D3800-1-100

D3800-1-100

Parent Item Name: Hook And Loop Strip (1" Soft)

Start Date: 2/18/2016

Required Date: 3/31/2016

Start Qty: 100.00

Required Qty: 100.00

Comments: IPP Rev:A 08-10-21 revB as per dwg DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
9776K131		Purchased	No				f	0.0000		100			
9776K131									**	200ft			
Flame retardent nylon Hook & Loop													

DAS
6
9-89

MAR 01 2016

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

SPECIFICATION CONTROL DRAWING



DESCRIPTION: HOOK AND LOOP STRIP WITH ADHESIVE BACK

SPECIFICATION: D3800-1-XXX-YYY LOOP STRIP (ie. SOFT VELCRO STRIP) B
 D3800-3-XXX-YYY HOOK STRIP (ie. HARD VELCRO STRIP) B

WHERE 'XXX' IS WIDTH IN HUNDREDTHS OF AN INCH
 AND 'YYY' IS LENGTH IN TENTHS OF AN INCH

EG. 1" WIDE BY 2.5" LONG LOOP STRIP = D3800-1-100-025
 2" WIDE BY 10.0" LONG HOOK STRIP = D3800-3-200-100

PART NUMBER	WIDTH	PURCHASE
D3800-1-100-YYY LOOP STRIP	1.0	McMASTER CARR P/N: 9776K122, 9776K126, 9776K18, 9776K28, 9776K131, 9776K38
D3800-3-100-YYY HOOK STRIP	1.0	McMASTER CARR P/N: 9776K97, 9776K113, 9776K13, 9776K23, 9776K117, 9776K33
D3800-1-100-YYY & D3800-3-100-YYY (PURCHASED AS COMBINATION PACK)	1.0	McMASTER CARR P/N: 9776K72, 9776K76, 9776K79, 9776K84, 9776K88, 9776K93
D3800-1-200-YYY LOOP STRIP	2.0	McMASTER CARR P/N: 9776K123, 9776K127, 9776K19, 9776K29, 9776K132, 9776K39
D3800-3-200-YYY HOOK STRIP	2.0	McMASTER CARR P/N: 9776K98, 9776K114, 9776K14, 9776K24, 9776K118, 9776K34
D3800-1-200-YYY & D3800-3-200-YYY (PURCHASED AS COMBINATION PACK)	2.0	McMASTER CARR P/N: 9776K73, 9776K77, 9776K81, 9776K85, 9776K89, 9776K94

NOTES:

- 1) MATERIAL: WOVEN NYLON HOOK AND LOOP WITH ADHESIVE BACK
 BEIGE COLOR
 ACCEPTABLE SUPPLIERS PER ABOVE TABLE
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

RELEASED
 08-10-19-11-10

SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 141892 MJS
 1602-18

B	ADD 1" WIDTH OPTION, "XXX-YYY" WAS "XXX", ADD ADDITIONAL McMASTER PART NUMBERS	CP	08.09.09
A	NEW ISSUE	CP	08.06.18
REV.	DESCRIPTION	BY	DATE
DESIGN	GP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	GP		
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	EE	D3800	SHEET 1 OF 1
APPROVED	160	TITLE	SCALE
DE APPR.	TH	HOOK AND LOOP STRIP	NTS
DATE	08.09.09	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation		Disposition			

Root Cause	FAULT CATEGORY				
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐		

Invoice: 50709476
Purchase Order: PO31460
Release:
McMaster-Carr Number: 7543512-05

ORIGINAL COMMERCIAL
INVOICE
CERTIFICATE OF ORIGIN

Ultimate Destination:
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Shipped: 29-Feb-2016	FOB: ORIGIN
Shipper's Export Declaration (SED): NO EEI 30 36	

Intermediate Consignee:

Bill To:
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Tax Number:

Forwarding Agent:

**Billing
Attention:**
**Shipping
Attention:**
Contact:

[illegible]

Shipping Weight (in kgs): 2	Number of Packages: 1
-----------------------------	-----------------------

Package Dimensions:
47 X 21 X 17 CM = .017 CUBIC M

Invoice Amounts:

Merchandise Amount:	\$255.84
Canadian GST/HST:	\$34.96
Shipping Charges:	\$13.05
Total (In USD):	\$303.85

Payment Terms: 2% discount on merchandise only if paid within 10 days, net 30 days

Authorized Signature:

Date: 29-Feb-2016

Remit payment to:
(by mail)
McMaster-Carr Supply Company
PO Box 7690
Chicago, IL 60680-7690 USA

(by wire transfer)
Bank of America Illinois
231 S LaSalle
Chicago, IL 60697
ABA 071000039 Account 86666-02021
SWIFT BOFAUS3N

Name: Sarah Weinberg

Title: Operations Mgr.

Page 1 of 1



Packing Lis

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7
Canada

Purchase Order
PO31460

Order Placed By
Chantal Lavoie

McMaster-Carr Number
7543512-05

Page 1 of 3

02/29/2016

Line	Product	Ordered	Shipped
7	9776K131 1" W X 50' L Loop, Adhesive Back, Beige, Lengths of 50	4 Lengths	4

Shipped separately from our Cleveland warehouse on 02/24

1	92198A672 18-8 Stainless Steel Hex Head Cap Screw, 7/16"-14 Thread, 5" Long	120 Packs	70
2	7566K25 Cable Tie Mount, Adhesive/Fastener Mount, 4 Way, 0.21" Tie WD. , White	1 Pack	1
3	8672K31 UHMW Polyethylene Trim, Screw Mount, U-Shape, 1" Inside Width	32 Feet	32
4	92311A639 18-8 Stainless Steel Cup Point Set Screw, 3/8"-24 Thread, 1" Long	5 Packs	5
5	93695K58 Oil-Resistant Neoprene/Vinyl/Buna-N Foam, Adhesive-Back, 1/4" Thick, 1" Width, 50' L, Black	1 Each	1
6	6718K52 Stainless Steel Industrial-Shape Hose Coupling, Plug, 1/4" NPTF Female, 1/4 Coupling Size	10 Each	10
8	4443A33 12-Volt Lithium Ion Battery for, Milwaukee Cordless Tool	1 Each	1
9	60025A69 Screwdriver Pry Bar, 36" Overall Length, 29" L Blade, 4 lbs, 5/8" Bar	1 Each	1
10	5682A81 Premium Plastic-Handle Screwdriver, 1/4" Tip Width, 4" Long Slotted Round Blade	2 Each	2
11	5443A28 Miniature Inch Combination Wrench, 12 Point, 5/16" Size, 3-1/2" Overall LG. , Chrome Finish	2 Each	2
12	3672K17 Steel Precision V-Groove-Guided Track Roller, Standard Stud, 20 mm Roller Diameter	3 Each	3
13	99142A540 Black-Finish Steel Internal Retaining Ring, for 1-1/2" Bore Diameter	1 Pack	1